

# PIAS1 antibody [GT1323]

# Cat. No. GTX03235

Host	Rabbit
Clonality	Monoclonal
Isotype	IgG
Applications	WB
Reactivity	Human, Mouse

Package 100 μl

# Applications

## **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500 - 1:2000
Not tested in other applications.	

Calculated MW 72 kDa. (Note)

Properties	
Form	Liquid
Buffer	PBS, 0.05% BSA, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.9 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	A synthesized peptide derived from human PIAS1.
Purification	Purified by affinity chromatography
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 06 / 17 Page 1 of 2

€ 886-3-6208988 📻 886-3-6208989 🐷 infoasia@genetex.com




## DATA IMAGES



#### GTX03235 WB Image

Various whole cell extracts (30  $\mu g$ ) were separated by 7.5% SDS-PAGE, and the membrane was blotted with PIAS1 antibody [GT1323] (GTX03235) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.




### GTX03235 WB Image

WB analysis of mouse lung tissue lysate using GTX03235 PIAS1 antibody [GT1323].

Dilution: 1:1000

Loading: 25µg per lane



#### GTX03235 WB Image

WB analysis of various samples using GTX03235 PIAS1 antibody [GT1323].

Dilution: 1:1000

Loading: 25µg per lane



For full product information, images and publications, please visit our website.

Date 2025 / 06 / 17 Page 2 of 2