

## Human Angiopoietin 2 protein, His tag

**Cat. No. GTX00212-pro****Applications** Functional Assay**Species** Human**Package**

10 µg

## Applications

**Application Note**

Angiopoietin is part of a family of vascular growth factors that play a role in embryonic and postnatal angiogenesis. Angiopoietin cytokines are involved with controlling microvascular permeability, vasodilation, and vasoconstriction by signaling smooth muscle cells surrounding vessels. There are now four identified angiopoietins: ANGPT1, ANGPT2, ANGPT3, ANGPT4. Angiopoietin 2 (ANGPT2) promotes cell death and disrupts vascularization. Yet, when it is in conjunction with vascular endothelial growth factors, or VEGF, it can promote neo-vascularization. Besides, TEK Tyrosine Kinase (Tie2) has been identified as an interactor of ANGPT2, thus a binding ELISA assay was conducted to detect the interaction of recombinant human ANGPT2 and recombinant human Tie2. Briefly, ANGPT2 were diluted serially in PBS, with 0.01% BSA (pH 7.4). Duplicate samples of 100 µl were then transferred to Tie2-coated microtiter wells and incubated for 2h at 37°C. Wells were washed with PBST and incubated for 1h with anti-ANGPT2 pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed 3 times. With the addition of substrate solution, wells were incubated 15-25 minutes at 37°C. Finally, add 50 µl stop solution to the wells and read at 450nm immediately. The binding activity of ANGPT2 and Tie2 was in a dose dependent manner.


**Observed MW (kDa)** 18 kDa.

## Properties

**Form** Lyophilized powder**Buffer** Reconstitute with 20mM Tris and 150mM NaCl to 0.1-1.0mg/ml. Do not vortex. Lyophilized from 20mM Tris, 150mM NaCl, 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose.**Preservative** ProClin 300**Storage** For short-term storage (1-2 weeks), store at 4°C. For long-term storage, store at -20°C or below. After reconstitution, keep as concentrated solution. Avoid freeze-thaw cycles.**Region/Sequence** N-terminal His-Tag; Lys24~Leu165 (NP\_001112359.1)**Expression System** E. coli**Purity** > 95%**Endotoxin** < 1 EU/µg**Conjugation** Unconjugated**Note** For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.


For full product information, images and publications, please visit our [website](#).

DATA IMAGES




**GTX00212-pro Functional Assay Image**

Functional ELISA analysis of GTX00212-pro Human Angiopoietin 2 protein which can bind immobilized Tie2 protein.



**GTX00212-pro Image**

SDS-PAGE analysis of GTX00212-pro Human Angiopoietin 2 protein.



**GTX00212-pro Image**

WB analysis of GTX00212-pro Human Angiopoietin 2 protein.



For full product information, images and publications, please visit our [website](#).