

CD86 antibody [BU63] (PE-Cy7)

Cat. No. GTX00600-10

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Applications	FCM
Reactivity	Human, Dog

References (5)

Package

100 test

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
FCM	4 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension
Not tested in other applications.	

Product Note Domain depletion epitope mapping studies indicate that the binding site of Mouse anti Human CD86, clone Bu63 is located within the Ig-v-like domain of human CD86 (Jeanin et al. 1997).

Properties

Form	Liquid
Buffer	PBS
Preservative	15mM Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE. Protect from light.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	B-lymphoblastoid cell line ARH 77
Purification	Purified by size-exclusion chromatography
Conjugation	Phycoerythrin-Cyanine7 (PE-Cy7) Wavelength
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption. Cy and CyDye are trademarks of GE Healthcare.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 02 / 03 Page 1 of 1