

# CD3 antibody [17A2] (FITC)

# Cat. No. GTX01458-06

Host	Rat
Clonality	Monoclonal
Isotype	lgG2b
Application	FACS
Reactivity	Mouse

Reference (261) Package 100 μg

### PRODUCT

**Summary** 

The 17A2 antibody reacts with the mouse CD3 complex, comprised of CD3 epsilon, CD3 gamma and CD3 delta. These integral membrane protein chains assemble with additional chains of the T cell receptor (TCR), as well as CD3 zeta chain, to form the T cell receptor - CD3 complex. Together with co-receptors CD4 or CD8, the complex serves to recognize antigens bound to MHC molecules on antigen-presenting cells. Such interactions promote T cell receptor signaling (T cell activation) and can result in a number of cellular responses including proliferation, differentiation, production of cytokines or activation-induced cell death. CD3 is differentially expressed during thymocyte-to-T cell development and on all mature T cells. The 17A2 antibody is a widely used phenotypic marker for mouse T cells. In addition, as the CD3e chain within the TCR complex contains intracellular signaling domains, binding of 17A2 antibody to CD3 can induce cell activation (use format suitable for functional assays).

# APPLICATION

## **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
FACS	Assay dependent

Not tested in other applications.

PROPERTIES	
Form	Liquid
Buffer	10mM NaH₂PO₄, 150mM NaCl, 0.1% Gelatin
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE. Protect from light.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Purification	Purified by affinity chromatography From tissue culture supernatant
Conjugation	Fluorescein isothiocyanate (FITC)



For full product information, images and publications, please visit our website.

Date 2024 / 05 / 15 Page 1 of 2




For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

#### Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

### DATA IMAGES



### GTX01458-06 FACS Image

FACS analysis of mouse C57Bl/6 splenocytes using GTX01458-06 CD3 antibody [17A2] (FITC).

Solid lone: primary antibody Dashed line: isotype control antibody amount: 0.5 µg (5 µl)



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 05 / 15 Page 2 of 2