

## IL7 Receptor alpha antibody [A7R34] (FITC)

Cat. No. GTX01473-06

<b>Host</b>	Rat
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG2a
<b>Applications</b>	FCM
<b>Reactivity</b>	Human, Mouse

References ( 7 )

Package

100 µg

## PRODUCT

## Summary

The A7R34 antibody is specific for mouse CD127, a 60-90 kDa cell surface protein also known as the Interleukin-7 Receptor alpha chain, or IL-7R alpha. CD127 is typically expressed at the cell surface as a heterodimer with the common gamma chain (CD132). This complex acts as the functional receptor for IL-7, a cytokine important in T and B cell development, and in mature T cell homeostasis. A second cytokine known as Thymic Stromal Lymphopoietin (TSLP) also binds to a receptor complex of CD127 and the TSLPR chain to trigger activation of dendritic cells, and is involved in B cell development, allergy and autoimmunity. The A7R34 antibody may be used as a phenotypic marker for CD127 on immature B cells, on subsets of thymocytes which are double negative (CD4-CD8- ) or single positive (CD4+ or CD8+), and at low levels on mature, peripheral T cells. CD127 is a key marker, when used in combination with CD4 and CD25, to distinguish Treg and effector/memory Treg populations known as T(REM).

## Applications

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

## Suggested dilution Recommended dilution

FCM	Assay dependent
-----	-----------------

Not tested in other applications.

## Properties

<b>Form</b>	Liquid
-------------	--------

<b>Buffer</b>	10mM NaH <sub>2</sub> PO <sub>4</sub> , 150mM NaCl, 0.1% Gelatin
---------------	--

<b>Preservative</b>	0.09% Sodium azide
---------------------	--------------------

<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE. Protect from light.
----------------	--

<b>Concentration</b>	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
----------------------	--

<b>Purification</b>	Purified by affinity chromatography From tissue culture supernatant
---------------------	--

<b>Conjugation</b>	Fluorescein isothiocyanate (FITC) <a href="#">Wavelength</a>
--------------------	--




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

## DATA IMAGES

**GTX01473-06 FCM Image**

FACS analysis of mouse C57Bl/6 splenocytes using GTX01473-06 IL7 Receptor alpha antibody [A7R34] (FITC).

Right panel : co-stained with IL7 Receptor alpha antibody [A7R34] (FITC) and Mouse CD3 antibody (APC)

Left panel : co-stained with isotype control and Mouse CD3 antibody (APC)

antibody amount : 1  $\mu$ g (5  $\mu$ l)



For full product information, images and publications, please visit our [website](#).