Human CD28 (ECD) protein, human IgG Fc tag and His tag

Cat. No. GTX03373-pro

Applications	Functional Assay	<mark>Package</mark> 100 μg
Species	Human	15

Applications

Application Note

Binding assay: Measured by its binding ability in a functional ELISA with Human CD80 protein. The ED_{50} range $\leq 10 \mu g/ml$.


Observed MW (kDa) 42 kDa.

Properties		
Form	Liquid	
Buffer	PBS, 10% Glycerol	
Preservative	No preservative	
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)	
Region/Sequence	19-152aa (NP_006130)	
Expression System	Baculovirus	
Purity	> 90% by SDS-PAGE	
Conjugation	Unconjugated	
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.	
NOLE	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.	




For full product information, images and publications, please visit our <u>website</u>.

DATA IMAGES



GTX03373-pro Functional Assay Image

Functional ELISA analysis of immobilized human CD80 protein at 1 μ g/ml (100 μ l/well) can bind GTX03373pro Human CD28 (ECD) protein, human IgG Fc tag and His tag. The ED₅₀ range \leq 10 μ g/ml.



GTX03373-pro Image

SDS-PAGE of 3µg GTX03373-pro Human CD28 (ECD) protein, human IgG Fc tag and His tag.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 06 / 06 Page 2 of 2