

## Goat anti Horse IgM antibody (FITC)

Cat. No. GTX03393-06

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Application	IHC-Fr, FACS
Reactivity	Horse

Package  
500 µg

## APPLICATION

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
IHC-Fr	1:100-1:1000
FACS	1:20-1:100

Not tested in other applications.

## Product Note

No cross-reactivity with other equine immunoglobulin classes is seen in immunoelectrophoresis. This antibody may cross-react with IgM from other species.

## PROPERTIES

Form	Liquid
Buffer	PBS, 0.2% BSA
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Purified equine IgM
Purification	Purified by affinity chromatography
Conjugation	Fluorescein isothiocyanate (FITC)

## Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).