

SRP68 antibody

Cat. No. GTX03442

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P
Reactivity	Human, Mouse, Rat

Package
100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:2000
ICC/IF	1:100-1:500
IHC-P	1:50-1:200

Not tested in other applications.

Calculated MW 71 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 150mM NaCl, 50% Glycerol
Preservative	0.02% sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	A synthesized peptide derived from human SRP68(Accession Q9UHB9), corresponding to amino acid residues S566-K587.
Purification	Purified by antigen-affinity chromatography From serum
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES




GTX03442 WB Image

WB analysis of human kidney tissue lysate using GTX03442 SRP68 antibody. The lane on the left was treated with blocking peptide.




GTX03442 IHC-P Image

IHC-P analysis of rat brain tissue using GTX03442 SRP68 antibody antibody.
Antigen retrieval : Heat mediated antigen retrieval step in citrate buffer was performed.
Dilution : 1:100



GTX03442 IHC-P Image

IHC-P analysis of mouse testis tissue using GTX03442 SRP68 antibody antibody.
Antigen retrieval : Heat mediated antigen retrieval step in citrate buffer was performed.
Dilution : 1:100



GTX03442 ICC/IF Image

ICC/IF analysis of PFA-fixed HeLa cells using GTX03442 SRP68 antibody.
Permeabilization : 0.1% Triton X-100
Red : Primary antibody
Green : beta tubulin
Blue : DAPI
Dilution : 1:200



For full product information, images and publications, please visit our [website](https://www.genetex.com).