

## VCAM1 / CD106 antibody [601] (APC)

**Cat. No. GTX03762-07**

<b>Host</b>	Rabbit
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG
<b>Applications</b>	FCM
<b>Reactivity</b>	Human

**Package**  
100 test

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
FCM	5µl for 10 <sup>5</sup> -10 <sup>6</sup> cells/test

Not tested in other applications.

**Calculated MW** 81 kDa. ([Note](#))

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	PBS, 0.5% BSA
<b>Preservative</b>	0.03% ProClin300
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE. Protect from light.
<b>Concentration</b>	0.1 mg/ml (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	Recombinant human VCAM-1 / CD106 Met1-Pro697 protein (NP_001069.1)
<b>Purification</b>	Protein A purified
<b>Conjugation</b>	Allophycocyanin (APC) <a href="#">Wavelength</a>

**Note**


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

## DATA IMAGES

**GTX03762-07 FCM Image**

FACS analysis of HUT78 cells using GTX03762-07 VCAM1 / CD106 antibody [601] (APC).

The fluorescence histograms were derived from gated events with the forward and side light-scatter characteristics of intact cells.



For full product information, images and publications, please visit our [website](#).