

## Goat Anti-Human IgG (Fc) antibody, pre-adsorbed (Biotin)

## Cat. No. GTX04119-02

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	FCM, ELISA
Reactivity	Human

Package  
500 µg

## Applications

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
FCM	Assay dependent
ELISA	1:5000-1:10000

Not tested in other applications.

**Product Note** Pre-adsorbed with Human IgG Fab, IgM, and IgA; rabbit, mouse, rat, bovine, horse, hamster, goat, sheep, chicken, and guinea pig serum proteins (SP). May react with IgG from other species.

## Properties


Form	Liquid
Buffer	PBS
Preservative	0.09% sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Pooled antisera from goats hyperimmunized with human IgG
Purification	Purified by antigen-affinity chromatography
Conjugation	Biotin
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 02 / 03 Page 1 of 2

## DATA IMAGES



## GTX04119-02 ELISA Image

ELISA analysis of purified human immunoglobulins using serially diluted GTX04119-02 Goat Anti-Human IgG (Fc) antibody, pre-adsorbed (Biotin) followed by Streptavidin (HRP).



For full product information, images and publications, please visit our [website](#).

Date 2026 / 02 / 03 Page 2 of 2