

Goat Anti-Human IgM (Mu chain) antibody, pre-adsorbed (AP)

Cat. No. GTX04120-03

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P, IHC-Fr, FCM, IP, ELISA, Activation, Depletion, ELISPOT, Multiplexing, Purification
Reactivity	Human

Package
1 ml

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ICC/IF	Assay dependent
IHC-P	Assay dependent
IHC-Fr	Assay dependent
FCM	Assay dependent
IP	Assay dependent
ELISA	1:2000-1:4000
Activation	Assay dependent
Depletion	Assay dependent
ELISPOT	Assay dependent
Multiplexing	Assay dependent
Purification	Assay dependent

Not tested in other applications.

Product Note Pre-adsorbed with Human IgG and IgA. May react with IgM from other species.

Properties


Form	Liquid
Buffer	50mM Tris, 1mM MgCl ₂ , 50% Glycerol
Preservative	0.09% sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.



For full product information, images and publications, please visit our [website](#).

Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	Pooled antisera from goats hyperimmunized with human IgM
Purification	Purified by antigen-affinity chromatography
Conjugation	Alkaline Phosphatase (AP)
Note	<p>For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.</p> <p>Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.</p>

DATA IMAGES



GTx04120-03 ELISA Image

ELISA analysis of purified human immunoglobulins using serially diluted GTx04120-03 Goat Anti-Human IgM (Mu chain) antibody, pre-adsorbed (AP).



For full product information, images and publications, please visit our [website](https://www.genetex.com).