

# Goat Anti-Human IgM (Mu chain) antibody, F(ab')<sub>2</sub> fragment, pre-adsorbed (Low endotoxin, azide free)

## Cat. No. GTX04121-00

<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG F(ab') <sub>2</sub>
<b>Applications</b>	WB, ICC/IF, FCM, ELISA, Activation, ELISPOT
<b>Reactivity</b>	Human

**Package**  
500 µg

### Applications

#### Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ICC/IF	Assay dependent
FCM	Assay dependent
ELISA	Assay dependent
Activation	Assay dependent
ELISPOT	Assay dependent

Not tested in other applications.

**Product Note** Pre-adsorbed with Human IgG and IgA. May react with IgM from other species.

### Properties

<b>Form</b>	Liquid
<b>Buffer</b>	PBS
<b>Preservative</b>	No preservatives
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
<b>Concentration</b>	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	Pepsin digest of Goat Anti-Human IgM.
<b>Purification</b>	Purified IgG
<b>Endotoxin</b>	< 0.05 EU/µg (determined by the LAL assay)
<b>Conjugation</b>	Unconjugated



For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).