

# Goat Anti-Human IgA (Heavy chain) antibody, F(ab')2 fragment, pre-adsorbed (PE)

## Cat. No. GTX04127-08

<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG F(ab')2
<b>Applications</b>	IHC-Fr, FCM, ELISA, Activation, ELISPOT
<b>Reactivity</b>	Human

**Package**

250 µg

### Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
IHC-Fr	Assay dependent
FCM	≤ 0.1 µg/10 <sup>6</sup> cells
ELISA	≤ 1 µg/mL
Activation	Assay dependent
ELISPOT	Assay dependent

**Note : The suggested use of these reagents is in a final volume of 100µl.**

Not tested in other applications.

**Product Note** Pre-adsorbed with Human IgG and IgM. May react with IgA from other species.

### Properties

<b>Form</b>	Liquid
<b>Buffer</b>	PBS, a stabilizer
<b>Preservative</b>	0.09% sodium azide
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE. Protect from light.
<b>Concentration</b>	0.25 mg/ml (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	Pepsin digest of Goat Anti-Human IgA.
<b>Purification</b>	Purified IgG
<b>Conjugation</b>	Phycoerythrin (PE) <a href="#">Wavelength</a>




For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 28 Page 1 of 2


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

**DATA IMAGES****GTx04127-08 ELISA Image**

ELISA analysis of purified human immunoglobulins using serially diluted GTX04127-08 Goat Anti-Human IgA (Heavy chain) antibody, F(ab')2 fragment, pre-adsorbed (PE).

**GTx04127-08 FCM Image**

FACS analysis of human peripheral blood lymphocytes using Mouse Anti-Human CD19 antibody (FITC) and GTx04127-08 Goat Anti-Human IgA (Heavy chain) antibody, F(ab')2 fragment, pre-adsorbed (PE).



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 28 Page 2 of 2