

# Goat Anti-Human kappa light chain antibody, pre-adsorbed

# Cat. No. GTX04130

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	WB, FCM, ELISA
Reactivity	Human

Package 1 mg

# **Applications**

### **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
FCM	≤ 1 µg/10 <sup>6</sup> cells
ELISA	Assay dependent

Note : The suggested use of these reagents is in a final volume of  $100\mu l$ .

Not tested in other applications.

Pre-adsorbed with Human  $\lambda$  light chains; mouse immunoglobulins and pooled sera. May react with  $\kappa$  light chains from **Product Note** other species.

Properties	
Form	Liquid
Buffer	Borate buffered saline
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Pooled antisera from goats hyperimmunized with human κ light chains
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our website.

Date 2025 / 06 / 24 Page 1 of 2




# DATA IMAGES



### GTX04130 FCM Image

FACS analysis of CD19+ human B-lymphocytes using Goat Anti-Human Lambda antibody, F(ab')2 fragment, pre-absorbed (PE) and GTX04130 Goat Anti-Human kappa light chain antibody, pre-adsorbed followed by Mouse Anti-Goat IgG Fc antibody (Alexa Fluor 488).



### GTX04130 ELISA Image

ELISA analysis of purified human immunoglobulins using serially diluted GTX04130 Goat Anti-Human kappa light chain antibody, pre-adsorbed followed by Mouse Anti-Goat IgG Fc antibody (HRP).



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 06 / 24 Page 2 of 2