

Goat Anti-Human kappa light chain antibody, F(ab')₂ fragment, pre-adsorbed (AP)

Cat. No. GTX04132-03

Host	Goat
Clonality	Polyclonal
Isotype	IgG F(ab') ₂
Applications	FCM, ELISA, Activation, ELISPOT
Reactivity	Human

Package

1 ml

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
FCM	Assay dependent
ELISA	1:2000-1:4000
Activation	Assay dependent
ELISPOT	Assay dependent

Not tested in other applications.

Product Note

Pre-adsorbed with Human λ light chains; mouse immunoglobulins and pooled sera. May react with κ light chains from other species.

Properties

Form	Liquid
Buffer	50mM Tris, 1mM MgCl ₂ , 50% Glycerol
Preservative	0.09% sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	Pepsin digest of Goat Anti-Human Kappa.
Purification	Purified IgG
Conjugation	Alkaline Phosphatase (AP)




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note
 Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES



GTX04132-03 ELISA Image

ELISA analysis of purified human immunoglobulins using serially diluted GTX04132-03 Goat Anti-Human kappa light chain antibody, F(ab')2 fragment, pre-adsorbed (AP).



For full product information, images and publications, please visit our [website](#).