

Goat Anti-Rabbit IgG antibody, F(ab')₂ fragment, pre-adsorbed (PE)**Cat. No. GTX04150-08**

Host	Goat
Clonality	Polyclonal
Isotype	IgG F(ab') ₂
Applications	WB, ICC/IF, IHC-P, IHC-Fr, FCM, ELISA
Reactivity	Rabbit

Package
250 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ICC/IF	Assay dependent
IHC-P	Assay dependent
IHC-Fr	Assay dependent
FCM	≤ 0.1 µg/10 ⁶ cells
ELISA	≤ 1 µg/mL

Note : The suggested use of these reagents is in a final volume of 100µL.

Not tested in other applications.

Product Note

Reacts with the heavy and light chains of rabbit IgG and the light chains of rabbit IgM. Pre-adsorbed with Mouse and human immunoglobulins and pooled sera. May react with immunoglobulins from other species

Properties

Form	Liquid
Buffer	PBS, a stabilizer
Preservative	0.09% sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE. Protect from light.
Concentration	0.25 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Pepsin digest of Goat Anti-Rabbit IgG(H+L).
Purification	Purified IgG
Conjugation	Phycoerythrin (PE) Wavelength




For full product information, images and publications, please visit our [website](#).

Date 2026 / 02 / 02 Page 1 of 2

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES

GTx04150-08 ELISA Image

ELISA analysis of purified rabbit immunoglobulins using serially diluted GTx04150-08 Goat Anti-Rabbit IgG antibody, F(ab')₂ fragment, pre-adsorbed (PE).



For full product information, images and publications, please visit our [website](https://www.genetex.com).