

Goat Anti-Mouse IgM (Mu chain) antibody, F(ab')2 fragment, pre-adsorbed (Low endotoxin, azide free)

Cat. No. GTX04194-00

Host	Goat
Clonality	Polyclonal
Isotype	IgG F(ab')2
Applications	WB, ICC/IF, IHC-P, IHC-Fr, FCM, ELISA, Activation, Purification
Reactivity	Mouse

Package

500 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ICC/IF	Assay dependent
IHC-P	Assay dependent
IHC-Fr	Assay dependent
FCM	Assay dependent
ELISA	Assay dependent
Activation	Assay dependent
Purification	Assay dependent

Not tested in other applications.

Product Note	Pre-adsorbed with Mouse IgG and IgA; human immunoglobulins and pooled sera. May react with immunoglobulins from other species.
---------------------	--------------------------------------------------------------------------------------------------------------------------------

Properties

Form	Liquid
Buffer	PBS
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Pepsin digest of Goat Anti-Mouse IgM.
Purification	Purified IgG



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 29 Page 1 of 2

Endotoxin

< 0.05 EU/μg (determined by the LAL assay)

Conjugation

Unconjugated

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 29 Page 2 of 2