

Goat Anti-Mouse IgM (Mu chain) antibody, F(ab')2 fragment, pre-adsorbed

Cat. No. GTX04195

Host	Goat
Clonality	Polyclonal
Isotype	IgG F(ab')2
Applications	WB, ELISA, Activation
Reactivity	Mouse

Package

500 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ELISA	≤ 1 µg/mL
Activation	Assay dependent

Not tested in other applications.

Product Note Pre-adsorbed with Mouse IgG and IgA. May react with immunoglobulins from other species.

Properties

Form	Liquid
Buffer	Borate buffered saline
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Pepsin digest of Goat Anti-Mouse IgM.
Purification	Purified IgG
Conjugation	Unconjugated

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 29 Page 1 of 2

DATA IMAGES



GTX04195 ELISA Image

ELISA analysis of purified mouse immunoglobulins using serially diluted GTX04195 Goat Anti-Mouse IgM (Mu chain) antibody, F(ab')2 fragment, pre-adsorbed followed by Swine Anti-Goat IgG(H+L) antibody, pre-absorbed (HRP).



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 29 Page 2 of 2