

## Goat Anti-Mouse IgG (Fc) antibody, pre-adsorbed (Biotin)

## Cat. No. GTX04197-02

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ELISA
Reactivity	Mouse

Package  
1 mg

## Applications

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ELISA	1:5000-1:20000

Not tested in other applications.

**Product Note** Reacts with the Fc region of mouse IgG1, IgG2a, IgG2b, IgG2c, and IgG3. Pre-adsorbed with Mouse IgG Fab, IgM, and IgA. May react with immunoglobulins from other species

## Properties


Form	Liquid
Buffer	PBS
Preservative	0.09% sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Pooled antisera from goats hyperimmunized with mouse IgG
Purification	Purified by antigen-affinity chromatography
Conjugation	Biotin
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 02 / 03 Page 1 of 2

## DATA IMAGES



## GTX04197-02 ELISA Image

ELISA analysis of purified mouse immunoglobulins using serially diluted GTX04197-02 Goat Anti-Mouse IgG (Fc) antibody, pre-adsorbed (Biotin) followed by Streptavidin (HRP).



For full product information, images and publications, please visit our [website](#).

Date 2026 / 02 / 03 Page 2 of 2