

Goat Anti-Mouse lambda light chain antibody, pre-adsorbed (TRITC)

Cat. No. GTX04203-25

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P, IHC-Fr, FCM, IP, ELISA, Activation, ELISPOT
Reactivity	Mouse

Package
1 mg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ICC/IF	Assay dependent
IHC-P	Assay dependent
IHC-Fr	Assay dependent
FCM	Assay dependent
IP	Assay dependent
ELISA	1:100-1:400
Activation	Assay dependent
ELISPOT	Assay dependent

Not tested in other applications.

Product Note Pre-adsorbed with Mouse κ light chains. May react with λ light chains from other species.

Properties

Form	Liquid
Buffer	PBS
Preservative	0.09% sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. Protect from light.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Pooled antisera from goats hyperimmunized with mouse λ light chains
Purification	Purified by antigen-affinity chromatography




For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 29 Page 1 of 2

ConjugationTetramethylrhodamine (TRITC) [Wavelength](#)**Note**

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES**GTX04203-25 IHC-Fr Image**

IHC-Fr analysis of mouse lymph node tissue using GTX04203-25 Goat Anti-Mouse lambda light chain antibody, pre-adsorbed (TRITC).



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 29 Page 2 of 2