

SQSTM1 / P62 (phospho Ser349) antibody

Cat. No. GTX05052

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB
Reactivity	Human, Mouse, Rat

Package
100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:100-1:500

Not tested in other applications.

Calculated MW 48 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 50% Glycerol
Preservative	0.05% Proclin300
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	A synthetic phosphorylated peptide around S349 of human SQSTM1/p62 (NP_003891.1).
Purification	Purified by affinity chromatography
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES




GTX05052 WB Image

WB analysis of HeLa or C6 cells with/without MG132 (50 μ M, 37°C, 90 mins) treatment using GTX05052 SQSTM1 / P62 antibody.

Dilution : 1:500

Loading : 25 μ g



GTX05052 WB Image

WB analysis of NIH-3T3 cells with/without MG132 (50 μ M, 37°C, 90 mins) treatment using GTX05052 SQSTM1 / P62 antibody.

Dilution : 1:500

Loading : 25 μ g



For full product information, images and publications, please visit our [website](https://www.genetex.com).