

C/EBP alpha antibody [N1], N-term

Cat. No. GTX100674

Host	Rabbit	
Clonality	Polyclonal	
Isotype	IgG	
Applications	WB, IHC-P, IP, ChIP assay	
Reactivity	Human, Mouse, Sheep	



Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

WB 1	1:500-1:3000
IHC-P A	Assay dependent
IP 1	1:100-1:500
ChIP assay	Assay dependent

Not tested in other applications.

Calculated MW 38 kDa. (Note)

Product Note KO/KD validation is based on published data (PMID: 26121644).

Properties		
Form	Liquid	
Buffer	PBS, 20% Glycerol	
Preservative	0.025% ProClin 300	
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	
Concentration	0.1 mg/ml (Please refer to the vial label for the specific concentration.)	
Immunogen	Carrier-protein conjugated synthetic peptide encompassing a sequence within the N-terminus region of human C/EBP alpha. The exact sequence is proprietary.	
Purification	Purified by antigen-affinity chromatography.	
Conjugation	Unconjugated	



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 17 Page 1 of 2




For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES



GTX100674 IP Image


C/EBP alpha antibody immunoprecipitates C/EBP alpha protein in IP experiments. IP Sample: HepG2 whole cell lysate/extract A: Control with 3 μ g of pre-immune rabbit lgG B: Immunoprecipitation of C/EBP alpha by 3 μ g of C/EBP alpha antibody (GTX100674) 10% SDS-PAGE The immunoprecipitated C/EBP alpha protein was detected by C/EBP alpha antibody (GTX100674) diluted at 1:500. EasyBlot anti-rabbit lgG (HRP) (GTX221666-01) was used as a secondary reagent.



GTX100674 ChIP assay Image

Cross-linked ChIP was performed with A549 chromatin extract and 5 μ g of either control rabbit IgG or anti-C/EBP alpha antibody. The precipitated DNA was detected by PCR with primer set targeting to CAMP promoter.

ChIP experiment and primer designs are based on FASEB J. 2005 Jul;19(9):1067-77.



GTX100674 WB Image

Whole cell extract (30 μ g) was separated by 10% SDS-PAGE, and the membrane was blotted with C/EBP alpha antibody [N1], N-term (GTX100674) diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



For full product information, images and publications, please visit our website.

Date 2025 / 12 / 17 Page 2 of 2