

## VPS28 antibody, C-term

**Cat. No. GTX10133**

<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG
<b>Applications</b>	WB, IHC-P
<b>Reactivity</b>	Human

**Package**  
100 µg

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1-3µg/ml
IHC-P	10µg/ml

**Note : Human Testis stains acrosomal head caps in round spermatids.**

Not tested in other applications.

**Calculated MW** 25 kDa. ([Note](#))

**Product Note** This antibody is expected to recognize isoform 1 (NP\_057292.1) only.

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	TBS, 0.5% BSA
<b>Preservative</b>	0.02% Sodium azide
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
<b>Concentration</b>	0.50 mg/ml (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	Peptide with sequence C-ESAYNAFNRLHA, from the C Terminus of the protein sequence according to NP_057292.1.
<b>Purification</b>	Purified by ammonium sulphate precipitation followed by antigen affinity chromatography
<b>Conjugation</b>	Unconjugated




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.


## DATA IMAGES

**GTX10133 IHC-P Image**

IHC-P analysis of human testis using GTX10133 VPS28 antibody, C-term.

Antigen retrieval : Tris/EDTA buffer pH 9

Dilution : 10 $\mu$ g/ml

**GTX10133 WB Image**

WB analysis of human testis lysate using GTX10133 VPS28 antibody, C-term.

Dilution : 1 $\mu$ g/ml

Loading : 35 $\mu$ g protein in RIPA buffer



For full product information, images and publications, please visit our [website](#).