SOX2 antibody [N1C3]

Cat. No. GTX101507

Host	Rabbit	References (80)
Clonality	Polyclonal	🚖 🚖 🚖 🔺 Review (1)
lsotype	lgG	Package
Applications	WB, ICC/IF, IHC-P, IHC-Fr, FCM, IP	100 μl, 25 μl
Reactivity	Human, Mouse, Rat, Frog, Ceratotherium simum	

PRODUCT

Summary

SOX2 antibody detects SOX2 protein, a basic helix-loop-helix transcription factor (predicted molecular weight of 34 kDa). SOX2 is an indispensable factor for regulating embryonic development and in the generation of inducible pluripotent stem (iPS) cells. It is also expressed in neural stem and progenitor cells. Dysregulation of SOX2 is associated with tumorigenesis.

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:5000-1:20000
ICC/IF	1:100-1:1000
IHC-P	1:100-1:1000
IHC-Fr	1:100-1:1000
FCM	1:50-1:200
IP	1:100-1:500

Not tested in other applications.

Calculated MW 34 kDa. (<u>Note</u>)

PropertiesFormliquidBufferPBS, 1% BSA, 20% GlycerolOz5% ProClin 3000.25% ProClin 300StorageStore as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For
oing-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.Foncentration0.19 mg/ml (Please refer to the vial label for the specific concentration.)ImmunogenRecombinant protein encompassing a sequence within the center region of human SOX2. The weeks area in the specific concentration of human SOX2. The sequence is propried and so a




For full product information, images and publications, please visit our <u>website</u>.




Purification	Purified by antigen-affinity chromatography.	
Conjugation	Unconjugated	
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.	
Note	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.	

DATA IMAGES



GTX101507 WB Image

Non-transfected (–) and transfected (+) NT2D1 whole cell extracts (30 µg) were separated by 10% SDS-PAGE, and the membrane was blotted with SOX2 antibody [N1C3] (GTX101507) diluted at 1:15000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



GTX101507 IHC-P Image

SOX2 antibody [N1C3] detects SOX2 protein at nucleus in mouse esophagus by immunohistochemical analysis.

Sample: Paraffin-embedded mouse esophagus. SOX2 antibody [N1C3] (GTX101507) diluted at 1:500.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min

GTX101507 sc-17320 NT2D 95 — 72 — 55 -55-43-43. <-- SOX2 34 --34 -26 -26 -17 -17 -

GTX101507 WB Image

Whole cell extract (30 μ g) was separated by 12% SDS-PAGE, and the membranes were blotted with SOX2 antibody [N1C3] (GTX101507) diluted at 1:1000 and competitor's antibody (sc-17320) diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.

*The competitor is not affiliated with GeneTex and does not endorse this product.



For full product information, images and publications, please visit our <u>website</u>.