

## PAI3 antibody [N3C3]

## Cat. No. GTX106655

Host	Rabbit	Package
Clonality	Polyclonal	100 µl, 25 µl
Isotype	IgG	
Applications	WB, IHC-P	
Reactivity	Human	

## Applications

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000-1:10000
IHC-P	1:100-1:1000

Not tested in other applications.

Calculated MW 46 kDa. ( [Note](#) )

## Properties


Form	Liquid
Buffer	0.1M Tris, 0.1M Glycine, 10% Glycerol
Preservative	0.01% Thimerosal
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant protein encompassing a sequence within the center region of human PAI3. The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated
	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
Note	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


Date 2026 / 01 / 08 Page 1 of 2

## DATA IMAGES



## GTX106655 WB Image

PAI3 antibody [N3C3] detects PAI3 protein by western blot analysis. HepG2 whole cell extracts and HepG2 conditioned medium (30 µg) were separated by 10% SDS-PAGE, and the membrane was blotted with PAI3 antibody [N3C3] (GTX106655) diluted at 1:5000.



## GTX106655 IHC-P Image

PAI3 antibody [N3C3] detects PAI3 protein at cytoplasm in Hep G2 xenograft by immunohistochemical analysis.

Sample: Paraffin-embedded Hep G2 xenograft.

PAI3 antibody [N3C3] (GTX106655) diluted at 1:500.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 08 Page 2 of 2