

TGF beta 2 antibody

Cat. No. GTX10850

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P, ELISA, Neutralizing/Inhibition
Reactivity	Human, Pig

Package

25 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	0.1-0.2 µg/ml
IHC-P	Assay dependent
ELISA	Assay dependent
Neutralizing/Inhibition	Assay dependent

Not tested in other applications.

Calculated MW 48 kDa. ([Note](#))

Product Note The antibody recognizes TGF-β2 and TGF-β1.2. By immunoblotting (non-reducing conditions) and ELISA, the antibody shows less than 2% cross-reactivity with TGF-β1, TGF-β3, and TGF-β5.

Properties

Form	Liquid
Buffer	PBS carbohydrates
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	porcine transforming growth factor-β2.
Purification	Purified by affinity chromatography
Conjugation	Unconjugated



For full product information, images and publications, please visit our [website](#).

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).