

TKTL1 antibody [N1C1]

Cat. No. GTX109459

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P
Reactivity	Human

References (4) Package 100 μΙ, 25 μΙ

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.		
Suggested dilution	Recommended dilution	
WB	1:1000-1:10000	
ICC/IF	1:100-1:1000	
IHC-P	1:100-1:1000	
Not tested in other applications.		
Calculated MW	65 kDa. (<u>Note</u>)	
Product Note	Based on internal testing result, this antibody may cross react with human TKTL2 protein.	
Properties		
Form	Liquid	
Buffer	PBS, 20% Glycerol	
Preservative	0.025% ProClin 300	

Immunogen	Recombinant protein encompassing a sequence within the center region of human TKTL1. The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated

long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.

0.98 mg/ml (Please refer to the vial label for the specific concentration.)

Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For



Storage

Concentration

For full product information, images and publications, please visit our website.

Date 2025 / 12 / 15 Page 1 of 2

€ 886-3-6208988 📻 886-3-6208989 🐷 infoasia@genetex.com




For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES




GTX109459 ICC/IF Image

TKTL1 antibody [N1C1] detects TKTL1 protein at cytoplasm and nucleus by immunofluorescent analysis. Sample: HeLa cells were fixed in 4% paraformaldehyde at RT for 15 min.

Green: TKTL1 protein stained by TKTL1 antibody [N1C1] (GTX109459) diluted at 1:500.

Red: Phalloidin, a cytoskeleton marker, diluted at 1:100.


Scale bar = $10 \mu m$.



GTX109459 IHC-P Image


Immunohistochemical analysis of paraffin-embedded SAS xenograft, using Transketolase-like protein 1(GTX109459) antibody at 1:100 dilution.

Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min



GTX109459 WB Image

Whole cell extract (30 μ g) was separated by 7.5% SDS-PAGE, and the membrane was blotted with TKTL1 antibody [N1C1] (GTX109459) diluted at 1:1000. The HRP-conjugated anti-rabbit lgG antibody (GTX213110-01) was used to detect the primary antibody.



GTX109459 WB Image

The data was published in the journal Aging Cell in 2014. PMID: 24757718



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 15 Page 2 of 2