TNF alpha antibody

Cat. No. GTX110520

| Host | Rabbit | References (93) |
|--------------|---------------------------|------------------------|
| Clonality | Polyclonal | 🚖 🚖 🚖 🚖 💮 Review (2) |
| lsotype | lgG | Package |
| Applications | WB, ICC/IF, IHC-P, IHC-Fr | 100 μl, 25 μl |
| Reactivity | Human, Mouse, Rat, Bovine | |

PRODUCT

Summary

TNF alpha antibody recognizes tumor necrosis factor alpha protein, a cytokine with a predicted molecular weight of 26 kDa. TNF alpha is mainly secreted by macrophages, but is also produced by various immune cells such as neutrophils, T helper cells, and NK cells. Dysregulation of TNF alpha expression is associated with various diseases including cancers and autoimmune disorders.

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution | |
|----------------------------------|----------------------|--|
| WB | 1:500-1:3000 | |
| ICC/IF | 1:100-1:1000 | |
| IHC-P | 1:100-1:1000 | |
| IHC-Fr | Assay dependent | |
| Not tested in other applications | | |

Not tested in other applications.

Calculated MW 26 kDa. (<u>Note</u>)


| Properties | |
|---------------|--|
| Form | Liquid |
| Buffer | PBS, 1% BSA, 20% Glycerol |
| Preservative | 0.025% ProClin 300 |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | 0.28 mg/ml (Please refer to the vial label for the specific concentration.) |
| Immunogen | Full length human TNF alpha Recombinant protein. |
| Purification | Purified by antigen-affinity chromatography. |



For full product information, images and publications, please visit our <u>website</u>.


bublications, please visit our <u>website</u>.

Date 2025 / 07 / 22 Page 1 of 2



| Conjugation | Unconjugated |
|-------------|---|
| Note | For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption. |
| | Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product. |

DATA IMAGES




GTX110520 WB Image

Non-transfected (–) and transfected (+) 293T whole cell extracts ($30 \mu g$) were separated by 12% SDS-PAGE, and the membrane was blotted with TNF alpha antibody (GTX110520) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



GTX110520 ICC/IF Image

TNF alpha antibody detects TNF alpha protein at membrane by immunofluorescent analysis. Sample: jurkat cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: TNF alpha protein stained by TNF alpha antibody (GTX110520) diluted at 1:500. Blue: Hoechst 33342 staining.



GTX110520 WB Image

TNF alpha antibody detects TNF alpha protein by western blot analysis. Various whole cell extracts (30 μg) were separated by 12% SDS-PAGE, and the membrane was blotted with TNF alpha antibody (GTX110520) diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 07 / 22 Page 2 of 2