

CDK7 antibody

Cat. No. GTX111919

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	WB, IHC-P, IP
Reactivity	Human

Reference (2)

Package

100 µl, 25 µl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
IHC-P	1:100-1:1000
IP	1:100-1:500

Not tested in other applications.

Calculated MW 39 kDa. ([Note](#))

Product Note IP/MS validation was supported by references (PMID:30377406)

PROPERTIES

Form	Liquid
Buffer	PBS, 1% BSA, 20% Glycerol
Preservative	0.025% ProClin 300
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.26 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Full length human CDK7 Recombinant protein.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated




For full product information, images and publications, please visit our [website](#).

Date 2024 / 05 / 18 Page 1 of 2


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.


DATA IMAGES

GTK111919 WB Image

Various whole cell extracts (30 µg) were separated by 10% SDS-PAGE, and the membrane was blotted with CDK7 antibody (GTK111919) diluted at 1:2000. The HRP-conjugated anti-rabbit IgG antibody (GTK213110-01) was used to detect the primary antibody.


GTK111919 IHC-P Image

Immunohistochemical analysis of paraffin-embedded human breast cancer, using CDK7(GTK111919) antibody at 1:250 dilution.

Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min


GTK111919 IP Image

CDK7 antibody immunoprecipitates CDK7 protein in IP experiments.

IP samples: 293T whole cell extract

A. 40 µg 293T whole cell extract

B. Control with 4 µg of preimmune Rabbit IgG

C. Immunoprecipitation of CDK7 protein by 4 µg CDK7 antibody (GTK111919)

10 % SDS-PAGE

The immunoprecipitated CDK7 protein was detected by CDK7 antibody (GTK111919) diluted at 1:500.

[EasyBlot anti-rabbit IgG (GTK221666-01) was used as a secondary reagent]



For full product information, images and publications, please visit our [website](https://www.genetex.com).