

# Cytokeratin 8 antibody [N1C1]

# Cat. No. GTX112975

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P
Reactivity	Human, Mouse, Rat, Zebrafish

References (5)
Package
100 µl, 25 µl

# Applications

### **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
ICC/IF	1:100-1:1000
IHC-P	1:100-1:1000
Not tested in other applications	

Not tested in other applications.

Calculated MW 54 kDa. (Note)

Properties	
Form	Liquid
Buffer	PBS, 1% BSA, 20% Glycerol
Preservative	0.025% ProClin 300
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.12 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant protein encompassing a sequence within the center region of human Cytokeratin 8. The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 06 Page 1 of 2




### DATA IMAGES




### GTX112975 WB Image

Wild-type (WT) and Krt8 knockout (KO) HeLa cell extracts (30  $\mu$ g) were separated by 10% SDS-PAGE, and the membrane was blotted with Krt8 antibody (GTX112975) diluted at 1:1000. The HRP-conjugated antirabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



#### GTX112975 WB Image

Whole zebrafish (30  $\mu$ g) was separated by 10% SDS-PAGE, and the membrane was blotted with Cytokeratin 8 antibody [N1C1] (GTX112975) diluted at 1:700. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



#### GTX112975 WB Image


Sample (50 µg of whole cell lysate)

A: mouse liver

10% SDS PAGE

GTX112975 diluted at 1:1000

 $\label{thm:conjugated} The \ HRP-conjugated \ anti-rabbit \ IgG \ antibody \ (GTX213110-01) \ was \ used \ to \ detect \ the \ primary \ antibody.$ 



## GTX112975 WB Image

Various whole cell extracts (30  $\mu$ g) were separated by 10% SDS-PAGE, and the membrane was blotted with Cytokeratin 8 antibody [N1C1] (GTX112975) diluted at 1:2000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 06 Page 2 of 2