

HLA-DOA antibody [N1C3]

Cat. No. GTX114470

Host	Rabbit	
Clonality	Polyclonal	
Isotype	IgG	
Applications	WB, FCM	
Reactivity	Human	

References (2) Package 100 μl, 25 μl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
FCM	Assay dependent
No. 10 No	

Not tested in other applications.

Calculated MW 28 kDa. (Note)

Form Liquid Buffer 0.1M Tris, 0.1M Glycine, 20% Glycerol Preservative 0.01% Thimerosal Storage Storage Storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	
Buffer 0.1M Tris, 0.1M Glycine, 20% Glycerol Preservative 0.01% Thimerosal Storage Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 week long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	
Preservative 0.01% Thimerosal Storage Storage	
Storage Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 week long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	
long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	
	s), store at 4°C. For
Concentration 0.64 mg/ml (Please refer to the vial label for the specific concentration.)	
Recombinant protein encompassing a sequence within the Extracellular domain of human HLA-DOA. The proprietary.	exact sequence is
Purification Purified by antigen-affinity chromatography.	
Conjugation Unconjugated	
For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals human consumption.	. Not for animal or
Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwis determine the structure or sequence of the product.	e attempt to



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 16 Page 1 of 1