CLP1 antibody [N3C3]

Cat. No. GTX115518

Host	Rabbit
Clonality	Polyclonal
lsotype	lgG
Applications	WB, ICC/IF, IHC-P, IP
Reactivity	Human

References (1) Package 100 μl, 25 μl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution	
WB	1:500-1:3000	
ICC/IF	1:100-1:1000	
IHC-P	1:100-1:1000	
IP	Assay dependent	
Not tested in other applications		

Not tested in other applications.

Calculated MW

48 kDa. (<u>Note</u>)


FormLiquidBuffer0.1M Tris, 0.1M Glycine, 20% GlycerolPreservative0.01% ThimerosalStorageStore as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at -20°C or below. Avoid multiple freeze-thaw cycles.Concentration0.27 mg/ml (Please refer to the vial label for the specific concentration.)	
Preservative 0.01% Thimerosal Storage Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	
Storage Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at -long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	
Storage long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	
Concentration 0.27 mg/ml (Please refer to the vial label for the specific concentration.)	4°C. For
Immunogen Recombinant protein encompassing a sequence within the center region of human CLP1. The exact sequence is prop	rietary.
Purification Purified by antigen-affinity chromatography.	
Conjugation Unconjugated	
For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for an human consumption. Note	imal or
Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.	



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 05 / 29 Page 1 of 2


DATA IMAGES



GTX115518 IHC-P Image

Immunohistochemical analysis of paraffin-embedded HS578T xenograft, using CLP1(GTX115518) antibody at 1:100 dilution.


Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min



B: Hep G 10% SD GTX115

GTX115518 WB Image

Sample (30 ug of whole cell lysate) A: Hela B: Hep G2 (GTX27900) 10% SDS PAGE GTX115518 diluted at 1:1000



GTX115518 ICC/IF Image

Immunofluorescence analysis of paraformaldehyde-fixed HeLa, using CLP1(GTX115518) antibody at 1:200 dilution.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 05 / 29 Page 2 of 2