

NOSIP antibody [N1C3]

Cat. No. GTX116126

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P
Reactivity	Human, Mouse

Package
100 µl, 25 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
ICC/IF	1:100-1:1000
IHC-P	1:100-1:1000

Not tested in other applications.

Calculated MW 33 kDa. ([Note](#))

Properties


Form	Liquid
Buffer	0.1M Tris, 0.1M Glycine, 20% Glycerol
Preservative	0.01% Thimerosal
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.53 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant protein encompassing a sequence within the center region of human NOSIP. The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 13 Page 1 of 2

DATA IMAGES

**GTX116126 WB Image**


Sample (30 ug of whole cell lysate)

A: 293T

B: A431 (GTX27909)

12% SDS PAGE

GTX116126 diluted at 1:1000




NOSIP antibody [N1C3] detects NOSIP protein at cytoplasm and nucleus in human colon carcinoma by immunohistochemical analysis.


Sample: Paraffin-embedded human colon carcinoma.

NOSIP antibody [N1C3] (GTX116126) diluted at 1:500.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min

**GTX116126 ICC/IF Image**

Immunofluorescence analysis of paraformaldehyde-fixed A431, using NOSIP(GTX116126) antibody at 1:200 dilution.

**GTX116126 WB Image**

Sample (50 ug of whole cell lysate)

A: mouse brain

12% SDS PAGE

GTX116126 diluted at 1:2000



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 13 Page 2 of 2