

DP2 antibody [BC-2]

Cat. No. GTX11835

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Applications	WB, IP
Reactivity	Human

Package
100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	0.5-1 µg/ml
IP	Assay dependent

Not tested in other applications.

Calculated MW 49 kDa. ([Note](#))

Product Note Does not detect the other members of the DP family. May also be used in a gel mobility shift assay.

Properties

Form	Liquid
Buffer	0.01M PBS PH 7.2
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	~0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	recombinant human DP2 protein.
Purification	Purified immunoglobulin
Conjugation	Unconjugated

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).