

WDR24 antibody [N3C2], Internal

Cat. No. GTX120079

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P
Reactivity	Human, Mouse

Package
100 µl, 25 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
IHC-P	1:100-1:1000

Not tested in other applications.

Calculated MW 102 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 1% BSA, 20% Glycerol
Preservative	0.01% Thimerosal
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.96 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant protein encompassing a sequence within the center region of human WDR24. The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


DATA IMAGES

GTX120079 IHC-P Image

WDR24 antibody [N3C2], Internal detects WDR24 protein at cytoplasm in mouse stomach by immunohistochemical analysis.

Sample: Paraffin-embedded mouse stomach.

WDR24 antibody [N3C2], Internal (GTX120079) diluted at 1:500.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



GTX120079 IHC-P Image

WDR24 antibody [N3C2], Internal detects WDR24 protein at cytoplasm in mouse testis by immunohistochemical analysis.

Sample: Paraffin-embedded mouse testis.

WDR24 antibody [N3C2], Internal (GTX120079) diluted at 1:500.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min


GTX120079 WB Image

Sample (30 ug of whole cell lysate)

A: 293T

7.5% SDS PAGE

GTX120079 diluted at 1:1000



For full product information, images and publications, please visit our [website](https://www.genetex.com).