

RKIP antibody

Cat. No. GTX12076

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P
Reactivity	Mouse, Rat

References (1)

Package

100 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	0.1-0.5µg/ml
IHC-P	0.5-1µg/ml

Not tested in other applications.

Calculated MW 21 kDa. ([Note](#))

Properties


Form	Liquid
Buffer	0.1% Na ₂ HPO ₄ , 0.45% NaCl, 2.5% BSA
Preservative	0.025% Thimerosal, 0.025% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	500 µg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of mouse PBP(15-29aa QEVDEPPQHALRVDY), identical to the related rat sequence.
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


Date 2026 / 01 / 17 Page 1 of 2

DATA IMAGES



GTX12076 IHC-P Image

IHC-P analysis of rat kidney tissue using GTX12076 RKIP antibody.



GTX12076 WB Image

WB analysis of various samples using GTX12076 RKIP antibody.

Lane 1 : rat brain tissue lysate at 50ug

Lane 2 : rat lung tissue lysate at 50ug

Lane 3 : rat liver tissue lysate at 50ug

Dilution : 0.5 µg/mL



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 17 Page 2 of 2