

sRANKL antibody [12A380]

Cat. No. GTX12125

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Applications	WB, IHC-P, IHC-Fr, FCM
Reactivity	Human, Mouse

Package
50 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	4 - 6 µg/ml
IHC-P	1:50 - 1:250
IHC-Fr	1:10 - 1:500
FCM	1:10 - 1:1000

Not tested in other applications.

Calculated MW 35 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 0.05% BSA
Preservative	0.05% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	A bacterially expressed fusion protein containing amino acid residues 1-317 of mouse TRANCE was used as immunogen.
Purification	Protein G purified
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES




GTX12125 IHC-P Image

IHC-P analysis of human tonsil tissue using GTX12125 sRANKL antibody [12A380].

Dilution : 1:50

Antigen retrieval : Heat induced antigen retrieval (HIER) using 10mM sodium citrate buffer (pH 6.0)




GTX12125 FCM Image

FACS analysis of mouse splenocytes using GTX12125 sRANKL antibody [12A380].

Green : untreated mouse splenocytes

Red : 72 hour ConA-stimulated mouse splenocytes

Antibody amount : 1 µg



GTX12125 FCM Image


FACS analysis of RAW264.7 cells using GTX12125 sRANKL antibody [12A380].

Purple : Primary antibody

Green : isotype control

Shaded histogram : cell only

Antibody amount : 2 µg



GTX12125 WB Image

WB analysis of recombinant sRANKL (partial) protein using GTX12125 sRANKL antibody [12A380].

Dilution : 1 µg/ml



For full product information, images and publications, please visit our [website](#).