

# Pcna antibody

**Cat. No. GTX124496**

<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG
<b>Applications</b>	WB, IHC-P, IHC-Fr, IHC-Wm
<b>Reactivity</b>	Zebrafish, Japanese Medaka, Nothobranchius furzeri

References ( 25 )

★★★★☆ Review ( 1 )

Package

100 µl, 25 µl

## Applications

### Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
IHC-P	1:100-1:1000
IHC-Fr	Assay dependent
IHC-Wm	1:50-1:500

Not tested in other applications.

**Calculated MW** 29 kDa. ( [Note](#) )

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	PBS, 20% Glycerol
<b>Preservative</b>	0.025% ProClin 300
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
<b>Concentration</b>	0.63 mg/ml (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	The immunogen used to generate this antibody corresponds to zebrafish Pcna
<b>Purification</b>	Purified by antigen-affinity chromatography.
<b>Conjugation</b>	Unconjugated


### Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

**DATA IMAGES**

**GTX124496 IHC-Wm Image**

Pcna antibody detects Pcna protein on zebrafish by whole mount immunohistochemical analysis.

Sample: Paraformaldehyde-fixed 2 day-post-fertilization zebrafish embryo.


Pcna antibody (GTX124496) dilution: 1:50.


**GTX124496 IHC-Wm Image**

Pcna antibody detects Pcna protein on zebrafish by whole mount immunohistochemical analysis.

Sample: Paraformaldehyde-fixed 2 day-post-fertilization zebrafish embryo.


Pcna antibody (GTX124496) dilution: 1:50.


**GTX124496 IHC-Wm Image**

Pcna antibody detects Pcna protein on whole mount zebrafish by immunohistochemical analysis.

Sample: 2 day-post-fertilization zebrafish embryo.


Pcna antibody (GTX124496) dilution: 1:100.


**GTX124496 IHC-Wm Image**

Pcna antibody detects Pcna protein on Medaka by whole mount immunohistochemical analysis.

Sample: 7 days-post-fertilization medaka embryo.

Pcna antibody (GTX124496) dilution: 1:100.


**GTX124496 IHC-P Image**

Immunohistochemical analysis of paraffin-embedded zebrafish kidney, using pcna (GTX124496) antibody at 1:300 dilution.



For full product information, images and publications, please visit our [website](https://www.genetex.com).