Pcna antibody

Cat. No. GTX124496

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P, IHC-Fr, IHC-Wm
Reactivity	Zebrafish, Japanese Medaka, Nothobranchius furzeri

References (31)

Review (1)

Package
100 µl, 25 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
IHC-P	1:100-1:1000
IHC-Fr	Assay dependent
IHC-Wm	1:50-1:500

Not tested in other applications.

Calculated MW 29 kDa. (Note)

Properties

Form	Liquid
Buffer	PBS, 20% Glycerol
Preservative	0.025% ProClin 300
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4ºC. For long-term storage, aliquot and store at -20ºC or below. Avoid multiple freeze-thaw cycles.
Concentration	0.63 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	The immunogen used to generate this antibody corresponds to zebrafish Pcna
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption. Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.


For full product information, images and publications, please visit our website.

GeneTex, Inc. (North America)
1-877-436-3839 (Toll-free) 1-949-309-2888 sales@genetex.com

GeneTex International Corporation (Global)
886-3-6208988 886-3-6208989 infoasia@genetex.com


© 2018 GeneTex Inc. All rights reserved.

DATA IMAGES




GTX124496 IHC-Wm Image

Pcna antibody detects Pcna protein on zebrafish by whole mount immunohistochemical analysis.
Sample: Paraformaldehyde-fixed 2 day-post-fertilization zebrafish embryo.
Pcna antibody (GTX124496) dilution: 1:50.




GTX124496 IHC-Wm Image

Pcna antibody detects Pcna protein on zebrafish by whole mount immunohistochemical analysis.
Sample: Paraformaldehyde-fixed 2 day-post-fertilization zebrafish embryo.
Pcna antibody (GTX124496) dilution: 1:50.




GTX124496 IHC-Wm Image

Pcna antibody detects Pcna protein on whole mount zebrafish by immunohistochemical analysis.
Sample: 2 day-post-fertilization zebrafish embryo.
Pcna antibody (GTX124496) dilution: 1:100.



GTX124496 IHC-Wm Image

Pcna antibody detects Pcna protein on Medaka by whole mount immunohistochemical analysis.
Sample: 7 days-post-fertilization medaka embryo.
Pcna antibody (GTX124496) dilution: 1:100.



GTX124496 IHC-P Image

Immunohistochemical analysis of paraffin-embedded zebrafish kidney, using pcna (GTX124496) antibody at 1:300 dilution.

For full product information, images and publications, please visit our website.

GeneTex, Inc. (North America)
1-877-436-3839 (Toll-free) 1-949-309-2888 sales@genetex.com

GeneTex International Corporation (Global)
886-3-6208988 886-3-6208989 infoasia@genetex.com

© 2018 GeneTex Inc. All rights reserved.