

FIP200 antibody

Cat. No. GTX129094

| Host | Rabbit |
|--------------|------------|
| Clonality | Polyclonal |
| Isotype | lgG |
| Applications | WB |
| Reactivity | Human |

Package $100~\mu l,\,25~\mu l$

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|-----------------------------------|----------------------|
| WB | 1:500-1:3000 |
| Not tested in other applications. | |

Calculated MW 183 kDa. (<u>Note</u>)

| Properties | |
|---------------|--|
| Form | Liquid |
| Buffer | PBS, 20% Glycerol |
| Preservative | 0.025% ProClin 300 |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | 1 mg/ml (Please refer to the vial label for the specific concentration.) |
| Immunogen | Recombinant protein encompassing a sequence within the C-terminus region of human FIP200. The exact sequence is proprietary. |
| Purification | Purified by antigen-affinity chromatography. |
| Conjugation | Unconjugated |
| Note | For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption. |
| | Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product. |




For full product information, images and publications, please visit our website.

Date 2025 / 11 / 07 Page 1 of 2



DATA IMAGES



GTX129094 WB Image


FIP200 antibody detects FIP200 protein by western blot analysis.

A. 30 µg 293T whole cell lysate/extract

B. 30 μg whole cell lysate/extract of human FIP200-transfected 293T cells

5 % SDS-PAGE

FIP200 antibody (GTX129094) dilution: 1:500



GTX129094 WB Image

FIP200 antibody detects FIP200 protein by western blot analysis.

A. 30 μg 293T whole cell lysate/extract

B. 30 μg A431 whole cell lysate/extract

C. 30 µg HeLa whole cell lysate/extract

D. 30 µg HepG2 whole cell lysate/extract

5 % SDS-PAGE

FIP200 antibody (GTX129094) dilution: 1:500



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 11 / 07 Page 2 of 2