

WIP1 antibody

Cat. No. GTX129279

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB
Reactivity	Human

Package
100 µl, 25 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:20000

Not tested in other applications.

Calculated MW 49 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 20% Glycerol
Preservative	0.025% ProClin 300
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant protein encompassing a sequence within the C-terminus region of human WIP1. The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES



GTx129279 WB Image

WIPI1 antibody detects WIPI1 protein by western blot analysis. Non-transfected (-) and -transfected (+,) 293T whole cell extracts (30 µg) were separated by 10% SDS-PAGE, and the membrane was blotted with WIPI1 antibody (GTx129279) diluted by 1:20000.



GTx129279 WB Image

WIPI1 antibody detects WIPI1 protein by western blot analysis. Whole cell extracts (30 µg) was separated by 10 % SDS-PAGE, and blotted with WIPI1 antibody (GTx129279) diluted by 1:500



For full product information, images and publications, please visit our [website](https://www.genetex.com).