

## Multiple Tags Positive Control ( 6xHis-MBP-DDDDK-V5-HSV-HA-T7-Myc-S)

**Cat. No. GTX130342-pro**

### Applications

ELISA


### Package

100 µg, 25 µg

### Properties

<b>Form</b>	Liquid
<b>Buffer</b>	1X SDS-PAGE sample loading buffer
<b>Preservative</b>	No preservatives
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
<b>Concentration</b>	Batch dependent (Please refer to the vial label for the specific concentration.)
<b>Expression System</b>	E. coli
<b>Purity</b>	> 90%
<b>Conjugation</b>	Unconjugated
<b>Note</b>	For In vitro laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.


### DATA IMAGES



### GTX130342-pro Image

Lane1: 1 µg of negative control

Lane2: 1 µg of multiple tags positive control (GTX130342-pro) blots were probed with various GeneTex's Tag antibodies and then probed with goat polyclonal secondary antibody to rabbit IgG - H&L (HRP) (GTX213110-01) or goat polyclonal secondary antibody to mouse IgG - H&L (HRP) (GTX213111-01).




### GTX130342-pro Image

Indirect ELISA analysis was performed by coating the plate with recombinant Multiple Tags Positive Control ( 6xHis-MBP-DDDDK-V5-HSV-HA-T7-Myc-S) (GTX130342-pro) (57.14-0.89 nM). Coated protein was probed with DDDDK tag antibody [HL3005] (GTX640415) (1 µg/mL). Goat anti-rabbit IgG antibody (HRP) (GTX213110-01) (1:10000) was used to detect the bound primary antibody.




For full product information, images and publications, please visit our [website](https://www.genetex.com).




#### GTX130342-pro Image

Indirect ELISA analysis was performed by coating the plate with recombinant Multiple Tags Positive Control ( 6xHis-MBP-DDDDK-V5-HSV-HA-T7-Myc-S) (GTX130342-pro) (57.14-0.89 nM). Coated protein was probed with Myc tag antibody [GT0002] (GTX628259) (1 µg/mL). Goat antibody Mouse IgG antibody (HRP) (1:10000) was used to detect the bound primary antibody.



#### GTX130342-pro Image

Indirect ELISA analysis was performed by coating the plate with recombinant Multiple Tags Positive Control ( 6xHis-MBP-DDDDK-V5-HSV-HA-T7-Myc-S) (GTX130342-pro) (57.14-0.89 nM). Coated protein was probed with c-Myc antibody [9E10] (GTX20032) (1 µg/mL). Goat antibody Mouse IgG antibody (HRP) (1:10000) was used to detect the bound primary antibody.



#### GTX130342-pro ELISA Image

Indirect ELISA analysis was performed by coating the plate with recombinant Multiple Tags Positive Control ( 6xHis-MBP-DDDDK-V5-HSV-HA-T7-Myc-S) (GTX130342-pro) (57.14-0.89 nM). Coated protein was probed with DDDDK tag antibody [M2-MS] (GTX641655) (1 µg/mL). Goat anti-mouse IgG antibody (HRP) (GTX213111-01) (1:10000) was used to detect the bound primary antibody.



For full product information, images and publications, please visit our [website](https://www.genetex.com).