

KHSRP antibody

Cat. No. GTX131804

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P
Reactivity	Human, Mouse, Rat

Package
100 µl, 25 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
ICC/IF	1:100-1:1000
IHC-P	1:100-1:1000

Not tested in other applications.

Calculated MW 73 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 20% Glycerol
Preservative	0.025% ProClin 300
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.76 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant protein encompassing a sequence within the center region of human KHSRP. The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


DATA IMAGES

GTX131804 IHC-P Image

KHSRP antibody detects KHSRP protein at cytoplasm and nucleus in mouse intestine by immunohistochemical analysis.


Sample: Paraffin-embedded mouse intestine.

KHSRP antibody (GTX131804) diluted at 1:500.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min


GTX131804 WB Image

KHSRP antibody detects KHSRP protein by western blot analysis. Mouse tissue extracts (50 µg) was separated by 7.5% SDS-PAGE, and the membrane was blotted with KHSRP antibody (GTX131804) diluted at 1:1000.


GTX131804 ICC/IF Image


KHSRP antibody detects KHSRP protein at nucleus by immunofluorescent analysis.

Sample: SK-N-AS cells were fixed in 4% paraformaldehyde at RT for 15 min.

Green: KHSRP protein stained by KHSRP antibody (GTX131804) diluted at 1:400.

Blue: Hoechst 33342 staining.

Scale bar = 10 µm.


GTX131804 IHC-P Image

KHSRP antibody detects KHSRP protein at cytoplasm and nucleus in rat duodenum by immunohistochemical analysis.

Sample: Paraffin-embedded rat duodenum.

KHSRP antibody (GTX131804) diluted at 1:500.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



For full product information, images and publications, please visit our [website](https://www.genetex.com).