

# TCEB1 antibody

# Cat. No. GTX132302

Host	Rabbit
Clonality	Polyclonal
Isotype	lgG
Application	WB
Reactivity	Human, Cat, Dog

Package 100 μl, 25 μl

# APPLICATION

## **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000-1:3000
Not tested in other applications.	

Calculated MW 12 kDa. (Note)

PROPERTIES	
Form	Liquid
Buffer	PBS
Preservative	No preservative
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Carrier-protein conjugated synthetic peptide encompassing a sequence within the center region of human TCEB1. The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 04 / 28 Page 1 of 2




## DATA IMAGES




### GTX132302 WB Image

Various whole cell extracts (30  $\mu g$ ) were separated by 15% SDS-PAGE, and the membrane was blotted with TCEB1 antibody (GTX132302) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



### GTX132302 WB Image

Various whole cell extracts (30  $\mu g$ ) were separated by 15% SDS-PAGE, and the membrane was blotted with TCEB1 antibody (GTX132302) diluted at 1:2000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



#### GTX132302 WB Image

Whole cell extract (30 µg) was separated by 15% SDS-PAGE, and the membrane was blotted with TCEB1 antibody (GTX132302) diluted at 1:1000.



For full product information, images and publications, please visit our website.

Date 2024 / 04 / 28 Page 2 of 2