

CCR1 antibody

Cat. No. GTX13240

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	WB, FCM, ELISA, IHC
Reactivity	Human

Package

50 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500
FCM	Assay dependent
ELISA	1:50,000
IHC	1:200

Not tested in other applications.

Calculated MW 41 kDa. ([Note](#))

Product Note Peptide sequence is < 50 % identical to other chemokine receptors in this region.

Properties

Form	Liquid
Buffer	10mM KHPO ₄ , 140mM NaCl, 0.1% BSA
Preservative	0.1% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	Synthetic peptide TEDYDTTTEFDYGDATPC corresponding to amino acids 7-24 of the N-terminal extracellular domain of human CCR1
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 01 Page 1 of 2

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).