

Vim antibody

Cat. No. GTX133061

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	WB, IHC-Wm
Reactivity	Zebrafish

Package $100~\mu l,\,25~\mu l$

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
IHC-Wm	1:50-1:500

Not tested in other applications.

PROPERTIES	
Form	Liquid
Buffer	PBS, 20% Glycerol
Preservative	0.025% ProClin 300
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.87 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Carrier-protein conjugated synthetic peptide encompassing a sequence within the C-terminus region of zebrafish Vim. The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our website.

Date 2024 / 05 / 04 Page 1 of 2




DATA IMAGES



GTX133061 IHC-Wm Image


Vim antibody detects Vim protein on zebrafish by whole mount immunohistochemical analysis. Sample: 2 days-post-fertilization zebrafish embryo.

Vim antibody (GTX133061) dilution: 1:50.




GTX133061 WB Image

Whole zebrafish extract (30 μ g) was separated by 10% SDS-PAGE, and the membrane was blotted with Vim antibody (GTX133061) diluted at 1:1000.



GTX133061 IHC-Wm Image

Vim antibody detects Vim protein on zebrafish by whole mount immunohistochemical analysis. Sample: 2 days-post-fertilization zebrafish embryo.
Vim antibody (GTX133061) dilution: 1:100.



GTX133061 IHC-Wm Image

Vim antibody detects Vim protein on zebrafish by whole mount immunohistochemical analysis. Sample: 1 day-post-fertilization zebrafish embryo.

Vim antibody (GTX133061) dilution: 1:100.



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 05 / 04 Page 2 of 2