

Claudin 1 antibody

Cat. No. GTX134842

Host	Rabbit	
Clonality	Polyclonal	
Isotype	IgG	
Application	WB, ICC/IF	
Reactivity	Human, Mouse, Rat	

Reference (5) Package 100 µl, 25 µl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
ICC/IF	Assay dependent

Not tested in other applications.

Calculated MW 23 kDa. (Note)

PROPERTIES	
Form	Liquid
Buffer	PBS, 1% BSA, 20% Glycerol
Preservative	0.025% ProClin 300
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.43 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Synthetic peptide encompassing a sequence within the Intracellular domain of human Claudin 1. The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.




For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 04 / 29 Page 1 of 2




DATA IMAGES



GTX134842 WB Image


Various whole cell extracts (30 μ g) were separated by 12% SDS-PAGE, and the membranes were blotted with Claudin 1 antibody (GTX134842) diluted at 1:500 and competitor's antibody diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.

*The competitor is not affiliated with GeneTex and does not endorse this product.




GTX134842 WB Image

Rat tissue extract ($50 \mu g$) was separated by 12% SDS-PAGE, and the membrane was blotted with Claudin 1 antibody (GTX134842) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.




GTX134842 WB Image

Various whole cell extracts (30 μ g) were separated by 12% SDS-PAGE, and the membrane was blotted with Claudin 1 antibody (GTX134842) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody. Corresponding RNA expression data for the same cell lines are based on Human Protein Atlas program.



GTX134842 ICC/IF Image

Claudin 1 antibody detects Claudin 1 protein at cell membrane by immunofluorescent analysis. Sample: A431 cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: Claudin 1 stained by Claudin 1 antibody (GTX134842) diluted at 1:1000. Blue: Fluoroshield with DAPI (GTX30920). Scale bar= $10 \ \mu m$.



GTX134842 WB Image

Rat tissue extract ($50 \mu g$) was separated by 12% SDS-PAGE, and the membrane was blotted with Claudin 1 antibody (GTX134842) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 04 / 29 Page 2 of 2