SARS-CoV-2 (COVID-19) ORF8 antibody

Cat. No. GTX135591

Host	Rabbit	
Clonality	Polyclonal	
lsotype	lgG	
Applications	WB, ICC/IF, ELISA, IHC-P (cell pellet)	
Reactivity	SARS Coronavirus 2	

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000-1:10000
ICC/IF	Assay dependent
ELISA	Assay dependent
IHC-P (cell pellet)	Assay dependent

References (9) Package 100 μl, 25 μl


Not tested in other applications.

Properties	
Form	Liquid
Buffer	PBS, 20% Glycerol
Preservative	0.025% ProClin 300
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Carrier-protein conjugated synthetic peptide encompassing a sequence within the N-terminus region of SARS-CoV-2 (COVID-19) ORF8 (Strain:Wuhan-Hu-1). The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated
Note	For <i>In vitro</i> laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.



For full product information, images and publications, please visit our website.

DATA IMAGES




GTX135591 IHC-P (cell pellet) Image

SARS-CoV-2 (COVID-19) ORF8 antibody detects SARS-CoV-2 (COVID-19) ORF8 protein at cytoplasm by immunohistochemical analysis. Sample: Mock and SARS-CoV-2 (COVID-19) ORF8 transfected 293T cell FFPE Cell Pellet Block Green: SARS-CoV-2 (COVID-19) ORF8 stained by SARS-CoV-2 (COVID-19) ORF8 antibody (GTX135591)

diluted at 1:1000.

Blue: Fluoroshield with DAPI (GTX30920).

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min




GTX135591 ICC/IF Image

SARS-CoV-2 (COVID-19) ORF8 antibody detects SARS-CoV-2 (COVID-19) ORF8 protein by immunofluorescent analysis.


Sample: Mock and transfected 293T cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: SARS-CoV-2 (COVID-19) ORF8 stained by SARS-CoV-2 (COVID-19) ORF8 antibody (GTX135591) diluted at 1:500.

Blue: Fluoroshield with DAPI (GTX30920).



GTX135591 WB Image

Non-transfected (–) and transfected (+) 293T whole cell extracts (30 μ g) were separated by 15% SDS-PAGE, and the membrane was blotted with SARS-CoV-2 (COVID-19) ORF8 antibody (GTX135591) diluted at 1:15000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



GTX135591 WB Image

The data was published in the 2022 in mBio. PMID: 35343786



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 04 / 28 Page 2 of 2