

TFB2M antibody, C-term

Cat. No. GTx13676

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	IHC-P
Reactivity	Human

Package
100 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
IHC-P	5µg/ml

Not tested in other applications.

Properties


Form	Liquid
Buffer	TBS, 0.5% BSA
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.50 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Peptide with sequence CAYKWLYDETLED, from the C Terminus of the protein sequence according to NP_071761.1.
Purification	Purified by ammonium sulphate precipitation followed by antigen affinity chromatography
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 14 Page 1 of 2

DATA IMAGES

**GTx13676 IHC-P Image**

IHC-P analysis of human colon using GTx13676 TFB2M antibody, C-term.

Antigen retrieval : citrate buffer pH 6

Dilution : 5 μ g/ml



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 14 Page 2 of 2