

## VEGF Receptor 2 antibody [DC101]

**Cat. No. GTX14094**

<b>Host</b>	Rat
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG1
<b>Applications</b>	WB, Neutralizing /Inhibition
<b>Reactivity</b>	Mouse

References ( 2 )

Package

500 µg

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
Neutralizing /Inhibition	Assay dependent

**Note : The DC101 antibody has been shown to inhibit VEGFR-2 signaling in vivo.**

Not tested in other applications.

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	Filter-sterilized PBS
<b>Preservative</b>	No preservatives
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE.
<b>Concentration</b>	Batch dependent (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	Mouse VEGFR-2SEAPs soluble receptor
<b>Purification</b>	Protein G purified From tissue culture supernatant
<b>Purity</b>	>95% (Determined by SDS-PAGE)
<b>Endotoxin</b>	< 0.002 EU/µg (Determined by LAL assay)
<b>Conjugation</b>	Unconjugated


**Note**

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

For full product information, images and publications, please visit our [website](#).

## DATA IMAGES

**GTX14094 WB Image**

WB analysis of purified VEGF Receptor 2 recombinant protein using GTX14094 VEGF Receptor 2 antibody [DC101].

Lane 1 : 1 ug non-reduced purified mouse VEGFR-2

Lane 2 : 0.19 ug non-reduced purified mouse VEGFR-2

Dilution : 6 ug/ml (Lane 1) or 12 ug/ml(Lane 2)



For full product information, images and publications, please visit our [website](#).